## Author index

Abdel-Majid, R.M., Tremblay, F. and Baldridge, W.H. Localization of adenylyl cyclase proteins in the rodent retina (101) 62

Abe, H., see Zhou, M. (101) 23 Andreadis, A., see Arikan, M.C. (101) 109

Arikan, M.C., Memmott, J., Broderick, J.A., Lafyatis, R., Screaton, G., Stamm, S. and Andreadis, A.

Modulation of the membrane-binding projection domain of tau protein: splicing regulation of exon 3 (101)

Augood, S.J., see Ziefer, P. (101) 132

Baldridge, W.H., see Abdel-Majid, R.M. (101)

Barry, G., see Schwarz, D.A. (101) 12
Barton, M.D., Dunlop, J.W., Psaltis, G., Kulik, J., DeGennaro, L. and Kwak, S.P.
Modified GFAP promoter autoregulates tet-activator expression for increased transactivation and reduced (TA-associated toxicity (101) 71

Black, J.A., Dusart, I., Sotelo, C. and Waxman, S.G. Axotomy does not up-regulate

Axotomy does not up-regulate expression of sodium channel Na<sub>v</sub>1.8 in Purkinje cells (101) 126

Breakefield, X.O., see Ziefer, P. (101) 132 Broderick, J.A., see Arikan, M.C. (101) 109

 Cassagne, C., see Salles, J. (101) 52
 Che, Y.H., Yamashita, T., Higuchi, H. and Tohyama, M.
 Changes in mRNA for choline transporter-like protein following facial nerve transection (101) 122

Chen, C.-H., see Wang, A.-G. (101) 82 Conlon, P.J., see Schwarz, D.A. (101) 12

DeGennaro, L., see Barton, M.D. (101) 71
De Lucchini, S., Marracci, S. and Nardi, I.
Erratum to: The serotonin 5-HT2B
receptor from the puffer fish
Tetraodon fluviatilis: cDNA cloning,
genomic organization and
alternatively spliced variants.
[Molecular Brain Research 97 (2001)
89-93] (101) 141

Duncan, M.J., see Freeman, D.A. (101) 33 Dunlop, J.W., see Barton, M.D. (101) 71 Dusart, I., see Black, J.A. (101) 126 Fann, M.-J., see Wang, A.-G. (101) 82
Ferrer-Alcón, M., see Grange-Midroit, M. (101) 39

Foster, A.C., see Schwarz, D.A. (101) 12
Freeman, D.A., Herron, J.M. and Duncan, M.J.

Absence of pineal-independent mediation of seasonal differences in suprachiasmatic nucleus AVP and VIP mRNA expression in Siberian hamsters (101) 33

Gafni, M., see Rubovitch, V. (101) 93 Garbay, B., see Salles, J. (101) 52 García-Sevilla, J.A., see Grange-Midroit, M. (101) 39

Grange-Midroit, M., García-Sevilla, J.A., Ferrer-Alcón, M., La Harpe, R., Walzer, C. and Guimón, J. G protein-coupled receptor kinases, β-arrestin-2 and associated regulatory proteins in the human brain: postmortem changes, effect of age and subcellular distribution (101) 39 Guimón, J., see Grange-Midroit, M. (101) 39

Harik, S.I., see Hoehn, B.D. (101) 103
Helminen, H.J., see Kaarniranta, K. (101) 136
Herron, J.M., see Freeman, D.A. (101) 33
Higuchi, H., see Che, Y.H. (101) 122
Hoehn, B.D., Harik, S.I. and Hudetz, A.G. VEGF mRNA expressed in microvessels of neonatal and adult rat cerebral cortex (101) 103
Hsu, W.-M., see Wang, A.-G. (101) 82
Hudetz, A.G., see Hoehn, B.D. (101) 103

Jeserich, G., see Panofen, F. (101) 1 Jiang, H., see Salles, J. (101) 52

Kaarniranta, K., Oksala, N., Karjalainen, H.M., Suuronen, T., Sistonen, L., Helminen, H.J., Salminen, A. and Lammi, M.J. Neuronal cells show regulatory differences in the hsp70 gene response (101) 136

Karjalainen, H.M., see Kaarniranta, K. (101) 136 Kawahara, K., see Zhou, M. (101) 23

Knoll-Gellida, A., see Salles, J. (101) 52 Kulik, J., see Barton, M.D. (101) 71 Kwak, S.P., see Barton, M.D. (101) 71 La Harpe, R., see Grange-Midroit, M. (101) 39

Lafyatis, R., see Arikan, M.C. (101) 109 Lammi, M.J., see Kaarniranta, K. (101) 136 LeDoux, M.S., see Ziefer, P. (101) 132 Leung, J., see Ziefer, P. (101) 132 Liu, J.-H., see Wang, A.-G. (101) 82 Lorden, J.F., see Ziefer, P. (101) 132

Mackay, K.B., see Schwarz, D.A. (101) 12 Maki, R.A., see Schwarz, D.A. (101) 12 Manu, F., see Schwarz, D.A. (101) 12 Marracci, S., see De Lucchini, S. (101) 141 Memmott, J., see Arikan, M.C. (101) 109 Mishima, T., see Nakagawa, Y. (101) 59 Murashima, Y.L., see Nakagawa, Y. (101) 59

Naeve, G.S., see Schwarz, D.A. (101) 12
Nakagawa, Y., Mishima, T., Murashima, Y.L. and Nakano, K.
Increased expression of mitochondrial respiratory enzymes in the brain of epilepsy-prone, naive EL mice (101)

Nakano, K., see Nakagawa, Y. (101) 59 Nardi, I., see De Lucchini, S. (101) 141

Oksala, N., see Kaarniranta, K. (101) 136 Ozelius, L., see Ziefer, P. (101) 132

Panofen, F., Piwowarski, T. and Jeserich, G. Small conductance calcium-activated potassium channels of trout CNS: molecular structure, developmental expression, and partial biophysical characterization (101) 1

Piwowarski, T., see Panofen, F. (101) 1 Psaltis, G., see Barton, M.D. (101) 71

Razzano, T., see Ziefer, P. (101) 132 Rubovitch, V., Gafni, M. and Sarne, Y. The cannabinoid agonist DALN positively modulates L-type voltagedependent calcium-channels in N18TG2 neuroblastoma cells (101) 93

Salles, J., Sargueil, F., Knoll-Gellida, A., Witters, L.A., Shy, M., Jiang, H., Cassagne, C. and Garbay, B. Fatty acid synthase expression during peripheral nervous system myelination (101) 52

## Author index

Abdel-Majid, R.M., Tremblay, F. and Baldridge, W.H. Localization of adenylyl cyclase proteins in the rodent retina (101) 62

Abe, H., see Zhou, M. (101) 23 Andreadis, A., see Arikan, M.C. (101) 109

Arikan, M.C., Memmott, J., Broderick, J.A., Lafyatis, R., Screaton, G., Stamm, S. and Andreadis, A.

Modulation of the membrane-binding projection domain of tau protein: splicing regulation of exon 3 (101)

Augood, S.J., see Ziefer, P. (101) 132

Baldridge, W.H., see Abdel-Majid, R.M. (101)

Barry, G., see Schwarz, D.A. (101) 12
Barton, M.D., Dunlop, J.W., Psaltis, G., Kulik, J., DeGennaro, L. and Kwak, S.P.
Modified GFAP promoter autoregulates tet-activator expression for increased transactivation and reduced (TA-associated toxicity (101) 71

Black, J.A., Dusart, I., Sotelo, C. and Waxman, S.G. Axotomy does not up-regulate

Axotomy does not up-regulate expression of sodium channel Na<sub>v</sub>1.8 in Purkinje cells (101) 126

Breakefield, X.O., see Ziefer, P. (101) 132 Broderick, J.A., see Arikan, M.C. (101) 109

 Cassagne, C., see Salles, J. (101) 52
 Che, Y.H., Yamashita, T., Higuchi, H. and Tohyama, M.
 Changes in mRNA for choline transporter-like protein following facial nerve transection (101) 122

Chen, C.-H., see Wang, A.-G. (101) 82 Conlon, P.J., see Schwarz, D.A. (101) 12

DeGennaro, L., see Barton, M.D. (101) 71
De Lucchini, S., Marracci, S. and Nardi, I.
Erratum to: The serotonin 5-HT2B
receptor from the puffer fish
Tetraodon fluviatilis: cDNA cloning,
genomic organization and
alternatively spliced variants.
[Molecular Brain Research 97 (2001)
89-93] (101) 141

Duncan, M.J., see Freeman, D.A. (101) 33 Dunlop, J.W., see Barton, M.D. (101) 71 Dusart, I., see Black, J.A. (101) 126 Fann, M.-J., see Wang, A.-G. (101) 82
Ferrer-Alcón, M., see Grange-Midroit, M. (101) 39

Foster, A.C., see Schwarz, D.A. (101) 12
Freeman, D.A., Herron, J.M. and Duncan, M.J.

Absence of pineal-independent mediation of seasonal differences in suprachiasmatic nucleus AVP and VIP mRNA expression in Siberian hamsters (101) 33

Gafni, M., see Rubovitch, V. (101) 93 Garbay, B., see Salles, J. (101) 52 García-Sevilla, J.A., see Grange-Midroit, M. (101) 39

Grange-Midroit, M., García-Sevilla, J.A., Ferrer-Alcón, M., La Harpe, R., Walzer, C. and Guimón, J. G protein-coupled receptor kinases, β-arrestin-2 and associated regulatory proteins in the human brain: postmortem changes, effect of age and subcellular distribution (101) 39 Guimón, J., see Grange-Midroit, M. (101) 39

Harik, S.I., see Hoehn, B.D. (101) 103
Helminen, H.J., see Kaarniranta, K. (101) 136
Herron, J.M., see Freeman, D.A. (101) 33
Higuchi, H., see Che, Y.H. (101) 122
Hoehn, B.D., Harik, S.I. and Hudetz, A.G. VEGF mRNA expressed in microvessels of neonatal and adult rat cerebral cortex (101) 103
Hsu, W.-M., see Wang, A.-G. (101) 82
Hudetz, A.G., see Hoehn, B.D. (101) 103

Jeserich, G., see Panofen, F. (101) 1 Jiang, H., see Salles, J. (101) 52

Kaarniranta, K., Oksala, N., Karjalainen, H.M., Suuronen, T., Sistonen, L., Helminen, H.J., Salminen, A. and Lammi, M.J. Neuronal cells show regulatory differences in the hsp70 gene response (101) 136

Karjalainen, H.M., see Kaarniranta, K. (101) 136 Kawahara, K., see Zhou, M. (101) 23

Knoll-Gellida, A., see Salles, J. (101) 52 Kulik, J., see Barton, M.D. (101) 71 Kwak, S.P., see Barton, M.D. (101) 71 La Harpe, R., see Grange-Midroit, M. (101) 39

Lafyatis, R., see Arikan, M.C. (101) 109 Lammi, M.J., see Kaarniranta, K. (101) 136 LeDoux, M.S., see Ziefer, P. (101) 132 Leung, J., see Ziefer, P. (101) 132 Liu, J.-H., see Wang, A.-G. (101) 82 Lorden, J.F., see Ziefer, P. (101) 132

Mackay, K.B., see Schwarz, D.A. (101) 12 Maki, R.A., see Schwarz, D.A. (101) 12 Manu, F., see Schwarz, D.A. (101) 12 Marracci, S., see De Lucchini, S. (101) 141 Memmott, J., see Arikan, M.C. (101) 109 Mishima, T., see Nakagawa, Y. (101) 59 Murashima, Y.L., see Nakagawa, Y. (101) 59

Naeve, G.S., see Schwarz, D.A. (101) 12
Nakagawa, Y., Mishima, T., Murashima, Y.L. and Nakano, K.
Increased expression of mitochondrial respiratory enzymes in the brain of epilepsy-prone, naive EL mice (101)

Nakano, K., see Nakagawa, Y. (101) 59 Nardi, I., see De Lucchini, S. (101) 141

Oksala, N., see Kaarniranta, K. (101) 136 Ozelius, L., see Ziefer, P. (101) 132

Panofen, F., Piwowarski, T. and Jeserich, G. Small conductance calcium-activated potassium channels of trout CNS: molecular structure, developmental expression, and partial biophysical characterization (101) 1

Piwowarski, T., see Panofen, F. (101) 1 Psaltis, G., see Barton, M.D. (101) 71

Razzano, T., see Ziefer, P. (101) 132 Rubovitch, V., Gafni, M. and Sarne, Y. The cannabinoid agonist DALN positively modulates L-type voltagedependent calcium-channels in N18TG2 neuroblastoma cells (101) 93

Salles, J., Sargueil, F., Knoll-Gellida, A., Witters, L.A., Shy, M., Jiang, H., Cassagne, C. and Garbay, B. Fatty acid synthase expression during peripheral nervous system myelination (101) 52 Salminen, A., see Kaarniranta, K. (101) 136 Sargueil, F., see Salles, J. (101) 52 Sarne, Y., see Rubovitch, V. (101) 93 Schwarz, D.A., Barry, G., Mackay, K.B.,

warz, D.A., Barry, G., Mackay, K.B., Manu, F., Naeve, G.S., Vana, A.M., Verge, G., Conlon, P.J., Foster, A.C. and Maki, R.A.

Identification of differentially expressed genes induced by transient ischemic stroke (101) 12

Screaton, G., see Arikan, M.C. (101) 109 Sekiguchi, M., see Zhou, M. (101) 23 Shalish, C., see Ziefer, P. (101) 132 Shy, M., see Salles, J. (101) 52 Sistonen, L., see Kaarniranta, K. (101) 136 Sotelo, C., see Black, J.A. (101) 126 Stamm, S., see Arikan, M.C. (101) 109 Standaert, D.G., see Ziefer, P. (101) 132 Suuronen, T., see Kaarniranta, K. (101) 136 Suzuki, M., see Zhou, M. (101) 23

Takata, K., see Zhou, M. (101) 23 Tanaka, O., see Zhou, M. (101) 23 Tohyama, M., see Che, Y.H. (101) 122 Tremblay, F., see Abdel-Maiid, R.M. (101) 62

Vana, A.M., see Schwarz, D.A. (101) 12 Verge, G., see Schwarz, D.A. (101) 12

Walzer, C., see Grange-Midroit, M. (101) 39Wang, A.-G., Chen, C.-H., Yang, C.-W., Yen,M.-Y., Hsu, W.-M., Liu, J.-H. and Fann,M.-J.

Change of gene expression profiles in the retina following optic nerve injury (101) 82

Waxman, S.G., see Black, J.A. (101) 126 Witters, L.A., see Salles, J. (101) 52 Yamashita, T., see Che, Y.H. (101) 122 Yang, C.-W., see Wang, A.-G. (101) 82 Yen, M.-Y., see Wang, A.-G. (101) 82

Zhou, M., Tanaka, O., Suzuki, M., Sekiguchi, M., Takata, K., Kawahara, K. and Abe, H. Localization of pore-forming subunit of the ATP-sensitive K\*-channel, Kir6.2, in rat brain neurons and glial cells (101) 23

Ziefer, P., Leung, J., Razzano, T., Shalish, C., LeDoux, M.S., Lorden, J.F., Ozelius, L., Breakefield, X.O., Standaert, D.G. and Augood, S.J. Molecular cloning and expression of rat torsinA in the normal and genetically dystonic (dt) raT (101) 132